1

# MINERAL SURVEY No. 4088

Arizona Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Elizabeth L. Wood	
KNOWN AS THE	
MISCHIEF Lode.	
Old Hat Mining Distri	ct,
Pinal County, Arizona.	
Sections 19 and 20. UNS, Township 10 S, Range 16 E.	
Surveyed under instructions dated December 26 1928	
by J. N. Dourns	)
U. S. Mineral Surveye	r.
Claim located See location notice , 19	
Survey commenced January 11 , 19 29	
Survey completedJamiary 12, 19 29	
Address of claimant E.T. Cusick, Tucson, Arizona. attorney for claimant.	
DATES OF AMENDED LOCATIONS.	
See location notice.	

6-82

Feet

#### MINERAL SURVEY NO. 4088

MISCHIEF Lode.

Beginning at Cor. No.1, identical with Loc. Mon.

Am iron pipe 2 ins. dism. with cap on top, 24 ins. above ground, set 18 ins. in the ground, stemped 1 M - 4088, with md of stone alongside, whence the Cor. to Secs. 17,18,19, 20, T. 10 S., R. 16 E. brs. N. 3°34'30" W.,893.98 ft.

Cor. No.2 Happy Thot lode, identical with Cor. No. 1 Gen. Hancock lode, both Sur. No. 1836, claimant herein, brs. N. 6° 56 W., 111.7 ft.

A juniper tree 18 ins. diam. brs. N. 5°28' W., 70 ft., blazed and scribed, 1-4088 B.T.

No other bearings are available.

Thence S. 29°58' E. Va. 13°45'E.

300.0

To E. end center, identical with Loc. Mon.

An oak post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed E. Cr. M.

556.49

Intersect line 2-6, Sur. No.687 Southern Belle lode, claimant herein, at S. 39°54'W.,359.96 ft. from Cor. No.2, and N.39°54'E., 230.31 ft. from Cor. No.6.

600.0

To Cor. No.2, identical with Loc. Mon. and Cor. No.1, Sur. No.2155A Cross Town lode, claimant herein.

An iron pipe 2 ins. diam. with cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 2 M- 4088, 1 C T - 2155A, with md of stone alongside, whence U.S. M. M. No.4 brs. N.82°54°E., 476.29

Cor. No.6 Sur. No.687 Southern Belle lode brs S. 50°38'30"W., 219.17 ft.

An oak tree 10 ins. diam. brs. S.31°43°E.,30.26 ft. Blazed and scribed 2 -4088, 1-2155A. BT.

No other bearings are available.

Thence S.75°21'50" W.,

157.99

Va. 13 45' E.
Intersect line 2-6, Sur. No.687, Southern Belle lode at S.39°54'W.,

432.28 ft. from Cor. No.2 and N.39 .54 E., 157.99 ft. from Cor. No.6 .

1262.5

To Cor. No.3, identical with Cor. No.4, Sur. No.2155A. Cross Town lode and Cor. No.1 Sur. No.1837, Apache Girl lode, Claimant herein.

A redwood post 4 ins. sq, showing 2 ft. above ground,

and surrounded with md of stone, scribed 3 M - 4088, 4 C T -2155A.

1 A.G.- 1837.

#### MINERAL SURVEY NO. 4088 MISCHIEF Lode- Cont'd.

An oak tree 24 ins. diam. brs. N. 50 W., 15 ft. Blazed and scribed

3-4088, 4-2155 A. B 1837 B T.

Cor.No.2, Sur.No.1857, Apache Cirl lode, brs. S.29°58' E. 303.64 ft.

No other bearings are available.

Thence S. 74°37'W., Va. 13°45'E.

237.5 To Cor. No.4, identical with Loc. Mon.

An iron pipe 2 ins. diam. with cap on top, 24 ins. above ground, set 18 ins. in the ground, stamped 4 M - 4088 with md of stone alongside An oak tree 14 ins. diam. brs. N. 50° W., 11.0 ft. Blazed and scribed 4-4088 B T.

No other bearings are available.

Thence N. 29°58'W. Va. 13°45'E.

51.89 Intersect line 5-1, Sur. No.1837 Apache Girl lode at S. 85°57'W., 255.55 ft. from Cor. No.1 and N. 85°57'E., 1118.95 ft. from Cor. No.5

300.0 To W. end center, identical with Loc. Mon.

An oak post 4 ins. diam. by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. M.

600.0 To Cor. No.5, identical with Loc. Mon.

An iron pipe 2 ins. diam. with cap on top, 24 ins. above ground set 18 ins. in the ground, stamped 5 M.-4088. with md of stone alongside.

No bearings are available.

Thence N. 75°15'E. Va. 13°45'E.

1500.0 To Cor. No.1, the place of beginning.

LODE LINE.

As near as can be determined from the present developments, the vein of the location embraced in this claim, extend as follows from its discovery.

MISCHIEF Lode.

150.0 ft. N.75°15'E., and 1350.0 ft. S: 75°15'W.;

AREA.

Total area, Mischief lode ----- 19.892

Area in conflict with Sur. No.687, Southern Belle lode - --- 0.034
Sur. No.1837, Apache Girl lode ---- 0.137

#### MINERAL SURVEY NO. 4088 MISCHIEF Lode.

#### LOCATION.

This survey is located in the N.E. 1/4 Sec. 19 and the N.W. 1/4

unsurveyed,
sec. 20, T. 10 S. R. 16 E. unsurveyed, in the Goronado National Forest.
Old Hat Mining District, Pinal County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of the location embraced in said mining claim, by the claimant or her grantors, is not less than Five Hundred Dollars and that said improvements consist of:

No.1, The discovery cut fithe face of which being the discovery point on the center line, 150 ft. from the center of line 1-2, 4 1/2 ft. wide 8 ft. face, running S. 75°15'W., 22 ft. to face.

Value \$100.

No.2 A cut, the mouth of which brs. from Cor. No.1, S. 6 w., 430.0 ft. 4 1/2 ft. wide, 8 ft. face, running south 20 ft. to face.

Value \$100.0

No.3 A cut, the mouth of which brs. from Cor. No.1 S. 1°30'E.,415.0 ft. 4 1/2 ft. wide, 8 ft. face, running south 20 ft. to face.

Value \$100.0

No.4 A cut, the mouth of which brs. from Cor. No.1, S. 4°E.,410.0 ft., 4 1/2 ft. wide, 8 ft. face, running south 20 ft. to face.

Value \$100.0

No.5 A cut, the mouth of which brs. from Cor. No.1, S.6°45'E.,412.0 ft., 4 1/2 ft. wide, 8 ft. face, running south 20 ft. to face.

Value \$100.0

No.6 A tunnel, the mouth of which brs. from Cor. No.1, S.10°30'E., 410.0 ft. 4x6 ft. running S.25°E., 75.0 ft. to face.

Value \$750.0

No.7 A cut, the mouth of which brs. from Cor. No.1, S.9°E.,410.0 ft.

4 1/2 ft. wide, 10 ft. face running S. 8° E.20 ft. to face. At face
is a turnel 4 x 6 ft. running S. 8°E., 15 ft. to face.

Value Cut and tunnel \$250.0

No.8 A cut, the mouth of which brs. from Cor. No.1, S. 16°15' E.,
410.0 ft. 4 1/2 ft. wide, 8 ft. face, running south 20 ft. to face.

Value \$100.0

#### INSTRUMENT.

This survey was made with a Gurley mountain transit, the courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 500 ft. steel tape.

#### MINERAL SURVEY NO. 4088.

#### REPORT.

The lode line of the location of this claim was run directly upon the ground, and the corners were established by running around the claim.

The Cor. to Secs. 17,18,19 and 20 T. 10S., R. 16 E. consists of a porphyry rock, 10 x 12 ins. showing 12 ins. above ground, chiseled 5 notches on the east and 3 notches on the south.

U.S. M.M. No.4 consists of a pine post 6 ins. sq by 8 ft. high, set in md of stone, 6 ft. base by 4 ft. high, scribed "U.S.M.M. NO.IV"

Sur. No.687 Southern Belle lode. All corners are pine posts, properly set and scribed with the number of the corner and the initials "SB"

Line 2-6 fails to furnish the course and distance as approved, N.40°E., 600 ft. and same is properly given in these field notes.

Sur. No. 2155 A Cross Town lode. All corners are pine posts, properly set and scribed with the number of the corner and the survey.

Line 4-1 fails to furnish the course and distance as approved,

(N.75°06'E., 1262.2) And same is properly given in these field notes.

for permanent corner. I set an iron pipe 2 ins. diam. with cap on top in the exact position of the originial corner and stamped with the number of the corner and the survey.

Sur. No.1837 Apache Girl lode. All corners are redwood posts
properly set and scribed with the number of the corner and the survey
Line 1-2 fails to furnish the course and distance as approved,
(S.29°55'E.,300.0 ft.) and same is properly given in these field notes.

#### ADJOINING CLAIMS.

On the East by Missing Link lode, Uns. and Sur. No.687 Southern Belle lode.

On the South by Sur. No.2155A., Cross Town lode, and Sur. No.1837 Apache Girl lode.,

On the West by Sur. No.1837 Apache Girl lode. All belonging to claimant herein.

#### MINERAL SURVEY No.4088

#### OATH OF ASSISTANT.

There being no Notary Public available within long distance
I proceeded to administer the necessary Oath.

### SOLAR OBSERVATION.

Direct Solar observation taken Friday, Jan.11, 1929 at 2;37 P.M. Solar time. - Sun bisected, - Lat. 32°33'- Lon. 110°44'30"

Difference in time 10 hrs.

do not copy

Appt Dec'l = 21°50'18"  $\frac{3'52.9"}{21°46'25.1}$ Sin 1/2 A  $\sqrt{\frac{\sin (S-L) (S-h)}{\cos L \cdot \cos h}}$ P =  $\frac{90°}{111°46'25.1"}$ 

L = 32°33' h = 23°57'51" ( App't h - 24°00', Refraction - 2' 9") P= 111°46'25.1" 2(168°17'16.1" S= 84°08'38"

180° - 139°56' = S.40°04'W. = Bearing of sun.

109°58' = Ang. to right from sun.

150°02'

180° - 150°02' = N.29°58'W. Course of line.

Set up at Cor. No.2 Mischief lode, F.S. to Cor. No.1

## FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals em	ployed by T.N. Stevens
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field no	tes of the survey of the mining claim of
Elizabeth L.	Wood
known as the MISCHIEF Lode	
and showing the respective capacities in which	a they acted.
	Ramon Ronquillo , Chainman.
	, Chainman.
	, Awman.
	, Flagman.
FINAL OATH	IS OF ASSISTANTS.
We I. Ramon Ronguillo	
	, do solemnly swear that we assisted
	es Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	Elizabeth L. Wood
known as the MISCHIEF Lode	
represented in the foregoing field notes as have	ving been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all	respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and bound	dary monuments established according to law and the instruc-
tions furnished by the Office Cadastral Engineer	, atPhoenix, Arizona.
	Ramon Ronquillo, Chainman.
	, Chainman.
	, Axman.
	, Flagman,
Subscribed and swern to be	y the above-named persons before me this 14th
day of Helman	
day of the man	
	112 M
	WOLF THE THE PROPERTY OF THE BOTTOM OF THE B

## FINAL OATH OF U.S. MINERAL SURVEYOR

I,, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona , dated December 26, 1928
I have, in strict conformity to the laws of the United States, the official regula-
tions and instructions thereunder, and the instructions of said Office Cadastral
Engineer, faithfully and correctly executed the survey of the Mining Claim of
Elizabeth L. Wood , known as the
MISCHIEF Lode
situate in Old Hat Mining District,
Pinal County, Arizona , in Sections
19 and 20, Uns., Township No. 10 S., Range No. 16 E.
and designated as Survey No. 4088 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Office Cadastral Engi-
neer with said instructions, and that all corners of said survey have been established
and perpetuated in strict accordance with the law, official regulations and instruc-
tions thereunder; and I do further solemnly swear that the foregoing are the true and
orginal field notes of said survey and my report therein, and that the labor expended
and improvements made upon said mining claim by claimant or her
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been in-
cluded in the estimate of expenditures upon any other claim.
11/20-0012
U. S. Mineral Surveyor.
Subscribed and sworn to by the said In Stevens
U. S. Mineral Surveyor, before me Machelle These a notary
Osiblic in and for Penna Caunty this 5th
day of March, 1929
My commission Machelle Tess experie Feb. 7, 1932. notan Rulli)
erfine Feb. 7, 1932. notary Orchio

## OFFICE CADASTRAL ENGINEER'S FINAL CERTIFICATE ON FIELD NOTES

# Department of the Interior

PUBLIC SURVEY OFFICE

	Phoenix, Arizona,				
		•	March 23	, 19_29	
I, Office Cadastral Engine	er , at Pho	enix, Arizo	na		
do hereby certify that the foreg	oing transcript	of the Field Note	s, return and appro	val of the survey	
of the mining claim of		***************************************			
	Elizal	eth L. Wood			
known as the	MISCHI	EF lode			
situate in	Old H	lat			
Mining District	hip No	Sa, Range	No. 16 E.	, and	
designated as Survey No	es furnish such fully to identif monuments a fundred Dollar	an accurate descri y the premises, and s will perpetuate a s worth of labor h	ption of said mining that such reference and fix the <i>locus</i> that seen expended	e is made therein nereof.	
and that said improvements co	onsist of7.	cuts and 2	tunnels, to	tal value	
and that no portion of said labor upon any other claim. I further certify that the pl	or improvement	ts has been includ	ed in the estimate	of expenditures	
		John	D. Adams Office Cad	lastral Engineer.	

# CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

### DEPARTMENT OF THE INTERIOR

PUBLIC SURVEY OFFICE

		At Phoenix,	Arizona,
			March 23 , 192 9
I, Office Cadas	tral Engineer at Phoenix,	Arizona,	
do hereby certify the	hat the foregoing and hereto atta	ched Field Notes a	nd Return of the Survey of the
Mining Claim of			
	Elizabeth	L. Wood	
			, known as the
	MISCHIE	F lode	
situate in	Old H	at	mining district,
	Pinal County,	Arizona	
in Section 8.19.4	20, Unsur, Township No.	10 S.	, Range No. 16 E.
	, designated as Survey No	40	088
executed by	T. N. Stevens		, U. S. Mineral
Surveyor,	January 11 - 12	, 19 2	29 under my instructions dated
	December 26 , 19 26	8, have been critical	lly examined and the necessary
corrections and exp	lanations made, and the said Fiel	d Notes and Return	a, and the Survey they describe,
are hereby approve	d. The certified copy of the loca	tion certificate filed	by the applicant for survey is
on file in this office	and a true copy of said certifie	d copy of said locat	ion certificate is included and
made a part of the	transcript of the field notes.		John Dellams
COVERNMENT PRENTING OFFICE 6-718.		/	Office Cadastral Engineer.